

# Time Weighted/Integrated Real Time LBMP - Zonal

		--- Marginal Cost of Losses										--- Marginal Cost of Congestion										01/29/2024			
Zonal Data																									
Name	PTID	00:00 EST	01:00 EST	02:00 EST	03:00 EST	04:00 EST	05:00 EST	06:00 EST	07:00 EST	08:00 EST	09:00 EST	10:00 EST	11:00 EST	12:00 EST	13:00 EST	14:00 EST	15:00 EST	16:00 EST	17:00 EST	18:00 EST	19:00 EST	20:00 EST	21:00 EST	22:00 EST	23:00 EST
CAPITL 61757		32.54 1.09 0.00	28.67 0.89 0.00	27.53 0.92 0.00	28.47 0.92 0.00	41.89 1.32 0.00	43.56 1.28 0.00	55.98 1.69 0.00	49.28 1.62 0.00	39.63 1.43 0.00	41.32 1.34 0.00	47.88 1.78 0.00	46.79 2.00 0.00	50.83 2.21 0.00	56.45 2.47 0.00	52.59 2.21 0.00	52.41 2.14 0.00	46.73 2.02 0.00	64.56 3.14 0.00	55.32 2.60 0.00	48.58 2.13 0.00	47.58 1.99 0.00	46.49 1.70 0.00	46.29 1.47 0.00	47.50 1.46 0.00
CENTRL 61754		30.73 -0.72 0.00	27.10 -0.68 0.00	25.87 -0.74 0.00	26.86 -0.69 0.00	39.60 -0.97 0.00	41.49 -0.79 0.00	53.12 -1.16 0.00	46.97 -0.70 0.00	37.75 -0.45 0.00	39.42 -0.57 0.00	45.61 -0.49 0.00	44.29 -0.50 0.00	48.00 -0.62 0.00	53.34 -0.64 0.00	49.79 -0.59 0.00	49.63 -0.63 0.00	44.27 -0.43 0.00	61.02 -0.41 0.00	52.26 -0.47 0.00	46.00 -0.45 0.00	45.00 -0.59 0.00	43.87 -0.92 0.00	43.84 -0.99 0.00	44.99 -1.06 0.00
DUNWOD 61760		32.78 1.33 0.00	28.84 1.07 0.00	27.63 1.02 0.00	28.59 1.05 0.00	42.13 1.56 0.00	44.15 1.87 0.00	56.86 2.57 0.00	50.60 2.93 0.00	40.69 2.49 0.00	42.45 2.46 0.00	49.17 3.07 0.00	47.95 3.16 0.00	52.06 3.44 0.00	58.05 4.07 0.00	54.11 3.73 0.00	53.81 3.54 0.00	48.05 3.35 0.00	66.65 5.22 0.00	56.96 4.24 0.00	50.02 3.57 0.00	48.91 3.32 0.00	47.54 2.74 0.00	47.11 2.28 0.00	48.23 2.18 0.00
GENESE 61753		29.68 -1.77 0.00	26.16 -1.62 0.00	24.89 -1.72 0.00	25.83 -1.72 0.00	38.23 -2.34 0.00	40.21 -2.07 0.00	51.03 -3.26 0.00	44.98 -2.69 0.00	36.20 -2.00 0.00	37.73 -2.26 0.00	43.58 -2.52 0.00	42.23 -2.56 0.00	45.50 -3.12 0.00	50.54 -3.43 0.00	47.29 -3.08 0.00	47.27 -3.00 0.00	42.09 -2.61 0.00	57.91 -3.52 0.00	49.62 -3.11 0.00	43.62 -2.83 0.00	42.54 -3.05 0.00	41.40 -3.40 0.00	41.62 -3.21 0.00	42.88 -3.16 0.00
H Q 61844		31.79 0.34 0.00	28.12 0.35 0.00	26.92 0.31 0.00	27.87 0.32 0.00	41.34 0.48 -0.29	42.74 0.46 0.00	54.85 0.57 0.00	47.83 0.16 0.00	38.21 0.01 0.00	40.14 0.15 0.00	46.04 -0.06 0.00	44.57 -0.22 0.00	48.41 -0.22 0.00	53.62 -0.36 0.00	50.13 -0.25 0.00	50.10 -0.17 0.00	44.43 -0.27 0.00	60.70 -0.72 0.00	52.21 -0.51 0.00	46.13 -0.32 0.00	42.97 -0.17 2.46	44.99 0.21 0.00	45.28 0.45 0.00	46.57 0.52 0.00
HUD VL 61758		32.65 1.20 0.00	28.75 0.98 0.00	27.55 0.94 0.00	28.51 0.97 0.00	42.03 1.45 0.00	43.97 1.69 0.00	56.64 2.35 0.00	50.30 2.63 0.00	40.39 2.19 0.00	42.14 2.15 0.00	48.80 2.70 0.00	47.61 2.82 0.00	51.69 3.07 0.00	57.58 3.61 0.00	53.67 3.29 0.00	53.40 3.13 0.00	47.70 2.99 0.00	66.11 4.69 0.00	56.56 3.83 0.00	49.67 3.22 0.00	48.59 3.00 0.00	47.26 2.47 0.00	46.90 2.07 0.00	48.04 1.99 0.00
LONGIL 61762		36.50 1.96 -3.09	41.24 1.68 -11.79	28.20 1.59 0.00	29.21 1.67 0.00	43.04 2.47 0.00	50.28 2.86 -5.14	57.79 3.50 0.00	51.44 3.77 0.00	41.49 3.29 0.00	49.33 3.36 -5.98	50.75 3.98 -0.67	66.86 4.15 -17.92	62.03 4.51 -8.90	82.54 5.36 -23.20	72.19 4.93 -16.88	64.32 4.65 -9.39	61.09 4.35 -12.04	76.50 6.58 -8.50	70.43 5.40 -12.31	64.87 4.62 -13.80	60.63 4.32 -10.72	51.07 3.72 -2.56	59.59 3.22 -11.54	58.57 3.19 -9.33
MHK VL 61756		31.98 0.53 0.00	28.23 0.45 0.00	27.01 0.40 0.00	28.00 0.46 0.00	41.37 0.79 0.00	43.19 0.91 0.00	55.68 1.40 0.00	49.27 1.60 0.00	39.56 1.36 0.00	41.36 1.37 0.00	47.84 1.74 0.00	46.45 1.66 0.00	50.37 1.75 0.00	55.99 2.02 0.00	52.27 1.88 0.00	52.10 1.83 0.00	46.49 1.79 0.00	64.10 2.68 0.00	55.01 2.28 0.00	48.47 2.02 0.00	47.50 1.90 0.00	46.46 1.67 0.00	46.36 1.54 0.00	47.51 1.46 0.00
MILLWD 61759		32.75 1.29 0.00	28.81 1.04 0.00	27.61 1.00 0.00	28.57 1.03 0.00	42.12 1.55 0.00	44.08 1.80 0.00	56.79 2.51 0.00	50.48 2.81 0.00	40.57 2.37 0.00	42.31 2.33 0.00	49.01 2.91 0.00	47.83 3.04 0.00	51.92 3.29 0.00	57.86 3.88 0.00	53.93 3.55 0.00	53.65 3.38 0.00	47.93 3.23 0.00	66.43 5.01 0.00	56.82 4.09 0.00	49.90 3.45 0.00	48.79 3.20 0.00	47.44 2.65 0.00	47.01 2.18 0.00	48.13 2.08 0.00
N.Y.C. 61761		32.81 1.36 0.00	28.83 1.06 0.00	27.63 1.02 0.00	28.58 1.03 0.00	42.11 1.54 0.00	44.16 1.88 0.00	56.87 2.59 0.00	51.84 3.12 -1.05	47.60 2.68 -6.72	42.65 2.66 0.00	58.82 3.30 -9.42	48.17 3.38 0.00	52.26 3.64 0.00	58.29 4.32 0.00	54.35 3.97 0.00	54.02 3.75 0.00	48.24 3.53 0.00	66.89 5.46 0.00	57.12 4.39 0.00	50.16 3.71 0.00	54.84 3.45 -5.80	52.81 2.86 -5.15	51.02 2.35 -3.85	48.29 2.24 0.00
NORTH 61755		32.49 1.04 0.00	28.79 1.02 0.00	27.51 0.91 0.00	28.50 0.96 0.00	42.03 1.46 0.00	43.66 1.38 0.00	56.08 1.80 0.00	48.99 1.32 0.00	39.18 0.98 0.00	41.01 1.02 0.00	47.03 0.93 0.00	45.57 0.78 0.00	49.36 0.73 0.00	54.65 0.67 0.00	51.08 0.70 0.00	51.07 0.80 0.00	45.29 0.59 0.00	61.85 0.43 0.00	53.17 0.45 0.00	47.00 0.55 0.00	46.30 0.70 0.00	45.92 1.12 0.00	46.26 1.44 0.00	47.65 1.60 0.00
NPX 61845		35.21 1.14 -2.63	35.22 0.93 -6.51	33.48 0.93 -5.94	35.23 0.95 -6.74	42.37 1.41 -0.39	43.70 1.42 0.00	56.73 1.91 -0.53	49.38 1.87 0.15	39.80 1.60 0.00	40.54 1.46 0.91	47.77 2.01 0.34	47.76 2.33 -0.63	51.19 2.57 0.00	57.88 2.97 -0.93	55.16 2.67 -2.12	52.82 2.55 0.00	48.57 2.35 -1.53	65.10 3.58 -0.10	56.63 2.95 -0.95	48.90 2.45 0.00	47.24 2.37 0.72	44.54 2.02 2.26	46.63 1.75 -0.05	49.60 1.71 -1.85

O H 61846	28.55 <b>-2.90</b> 0.00	25.16 <b>-2.61</b> 0.00	23.85 <b>-2.76</b> 0.00	24.79 <b>-2.76</b> 0.00	37.19 <b>-3.81</b> -0.43	38.74 <b>-3.54</b> 0.00	48.48 <b>-5.80</b> 0.00	42.52 <b>-5.15</b> 0.00	34.26 <b>-3.94</b> 0.00	35.62 <b>-4.37</b> 0.00	41.12 <b>-4.99</b> 0.00	39.76 <b>-5.03</b> 0.00	42.64 <b>-5.99</b> 0.00	47.34 <b>-6.64</b> 0.00	44.40 <b>-5.98</b> 0.00	44.43 <b>-5.83</b> 0.00	39.51 <b>-5.19</b> 0.00	54.18 <b>-7.24</b> 0.00	46.35 <b>-6.38</b> 0.00	40.77 <b>-5.68</b> 0.00	39.76 <b>-5.83</b> 0.00	38.71 <b>-6.08</b> 0.00	39.28 <b>-5.55</b> 0.00	40.76 <b>-5.30</b> 0.00
PJM 61847	30.98 <b>-0.47</b> 0.00	27.26 <b>-0.51</b> 0.00	21.49 <b>-0.60</b> 4.52	25.77 <b>-0.55</b> 1.22	40.20 <b>-0.66</b> -0.29	41.96 <b>-0.32</b> 0.00	53.50 <b>-0.79</b> 0.00	47.30 <b>-0.36</b> 0.00	37.97 <b>-0.23</b> 0.00	39.61 <b>-0.38</b> 0.00	45.79 <b>-0.15</b> 0.15	44.66 <b>-0.13</b> 0.00	48.39 <b>-0.23</b> 0.00	53.96 <b>-0.02</b> 0.00	50.35 <b>-0.03</b> 0.00	50.09 <b>-0.18</b> 0.00	44.63 <b>-0.07</b> 0.00	61.67 <b>0.25</b> 0.00	52.66 <b>-0.06</b> 0.00	46.32 <b>-0.13</b> 0.00	42.82 <b>-0.31</b> 2.46	44.00 <b>-0.79</b> 0.00	43.89 <b>-0.93</b> 0.00	47.79 <b>-0.91</b> -2.65
WEST 61752	29.45 <b>-2.00</b> 0.00	25.94 <b>-1.83</b> 0.00	24.57 <b>-2.03</b> 0.00	25.55 <b>-1.99</b> 0.00	37.91 <b>-2.67</b> 0.00	40.04 <b>-2.24</b> 0.00	50.28 <b>-4.01</b> 0.00	44.13 <b>-3.54</b> 0.00	35.57 <b>-2.62</b> 0.00	37.03 <b>-2.96</b> 0.00	42.85 <b>-3.25</b> 0.00	41.46 <b>-3.33</b> 0.00	44.64 <b>-3.99</b> 0.00	49.60 <b>-4.38</b> 0.00	46.49 <b>-3.89</b> 0.00	46.43 <b>-3.84</b> 0.00	41.23 <b>-3.47</b> 0.00	56.64 <b>-4.79</b> 0.00	48.41 <b>-4.31</b> 0.00	42.59 <b>-3.86</b> 0.00	41.50 <b>-4.10</b> 0.00	40.33 <b>-4.46</b> 0.00	40.78 <b>-4.05</b> 0.00	42.25 <b>-3.80</b> 0.00