

# Time Weighted/Integrated Real Time LBMP - Zonal

		--- LBMP \$		--- Marginal Cost of Losses										--- Marginal Cost of Congestion												
Zonal Data																									09/01/2024	
Name		00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	
PTID		EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	
CAPITL		28.42	25.28	23.88	23.75	22.22	22.46	21.77	21.83	21.57	22.39	24.78	26.12	27.51	29.86	30.29	27.26	32.20	39.00	40.24	32.02	33.72	33.14	31.43	41.37	
61757		1.02	0.85	0.81	0.83	0.79	0.82	0.85	0.88	0.87	0.89	1.01	0.98	1.13	1.28	1.26	1.20	1.50	1.85	1.99	1.62	1.80	1.74	1.58	1.68	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.43	0.00	-0.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
CENTRL		27.40	24.18	22.83	22.65	21.14	21.37	20.62	20.63	20.36	20.67	23.30	24.01	26.14	28.39	28.92	25.94	30.51	36.97	38.11	30.28	31.70	31.09	29.43	38.93	
61754		0.00	-0.24	-0.23	-0.27	-0.28	-0.27	-0.30	-0.32	-0.34	-0.40	-0.46	-0.35	-0.24	-0.18	-0.11	-0.11	-0.19	-0.18	-0.15	-0.11	-0.22	-0.31	-0.43	-0.76	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
DUNWOD		28.66	25.38	23.92	23.78	22.25	22.52	21.78	21.87	21.70	25.06	25.35	31.17	28.48	30.97	31.42	28.07	32.93	39.84	40.90	32.48	34.15	33.56	31.89	41.88	
61760		1.26	0.96	0.86	0.86	0.82	0.89	0.87	0.92	1.00	1.17	1.58	1.72	2.10	2.39	2.38	2.01	2.23	2.69	2.65	2.08	2.23	2.17	2.04	2.19	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.82	0.00	-5.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GENESE		26.97	23.72	22.39	22.17	20.66	20.87	20.13	20.10	19.80	20.13	22.66	23.58	25.71	27.88	28.52	25.49	29.85	35.95	37.04	29.45	30.79	30.18	28.45	37.66	
61753		-0.43	-0.70	-0.67	-0.75	-0.76	-0.76	-0.78	-0.85	-0.89	-0.93	-1.10	-0.78	-0.67	-0.70	-0.51	-0.57	-0.86	-1.21	-1.22	-0.94	-1.13	-1.21	-1.40	-2.03	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
H Q		27.36	24.51	23.15	23.00	21.49	21.67	20.95	20.98	20.72	21.14	23.74	24.28	26.16	28.26	28.71	25.77	30.42	36.69	37.95	30.18	31.68	31.19	29.35	40.25	
61844		-0.04	0.09	0.09	0.09	0.06	0.04	0.03	0.03	0.02	0.01	-0.02	-0.08	-0.22	-0.31	-0.32	-0.29	-0.29	-0.34	-0.31	-0.22	-0.24	-0.21	-0.13	0.16	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.38	-0.40	
HUD VL		28.43	25.20	23.76	23.63	22.10	22.37	21.64	21.72	21.53	20.51	25.07	22.88	28.14	30.58	31.01	27.76	32.64	39.52	40.61	32.25	33.89	33.27	31.59	41.52	
61758		1.04	0.78	0.70	0.71	0.68	0.74	0.72	0.76	0.83	0.97	1.31	1.44	1.75	2.00	1.98	1.70	1.94	2.36	2.36	1.86	1.97	1.87	1.73	1.83	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.53	0.00	2.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
LONGIL		29.05	25.72	24.22	24.06	22.46	22.73	22.03	22.08	21.97	25.28	30.59	34.06	32.06	32.52	32.22	29.54	32.76	39.65	40.77	32.43	34.18	33.52	31.94	41.81	
61762		1.65	1.30	1.16	1.14	1.04	1.09	1.12	1.13	1.27	1.43	1.98	2.14	2.56	2.86	2.86	2.35	2.07	2.50	2.52	2.04	2.26	2.12	2.08	2.12	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.79	-4.84	-7.56	-3.12	-1.09	-0.32	-1.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
MHK VL		28.07	24.93	23.50	23.36	21.84	22.01	21.29	21.30	21.00	21.35	24.09	24.68	26.76	29.02	29.50	26.50	31.28	38.13	39.43	31.35	32.79	32.23	30.67	40.72	
61756		0.67	0.51	0.44	0.44	0.41	0.38	0.38	0.35	0.31	0.28	0.33	0.32	0.38	0.44	0.47	0.45	0.58	0.98	1.18	0.95	0.87	0.84	0.81	1.03	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
MILLWD		28.52	25.26	23.82	23.68	22.16	22.43	21.70	21.78	21.60	24.34	25.23	29.84	28.35	30.82	31.26	27.93	32.79	39.67	40.73	32.34	33.99	33.40	31.73	41.67	
61759		1.12	0.84	0.76	0.77	0.74	0.80	0.78	0.83	0.90	1.08	1.46	1.61	1.96	2.24	2.23	1.88	2.09	2.52	2.48	1.95	2.08	2.01	1.87	1.98	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.19	0.00	-3.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
N.Y.C.		34.73	27.16	26.14	25.80	22.51	22.61	23.04	24.30	24.21	27.11	27.45	32.47	30.45	32.64	33.05	31.97	102.72	57.84	44.47	34.05	44.88	35.99	34.45	43.49	
61761		1.37	1.06	0.95	0.95	0.91	0.97	0.96	1.01	1.11	1.29	1.73	1.88	2.29	2.62	2.63	2.22	2.44	2.91	2.88	2.27	2.43	2.40	2.22	2.42	
		-5.96	-1.68	-2.13	-1.94	-0.17	0.00	-1.17	-2.33	-2.41	-4.75	-1.96	-6.22	-1.77	-1.45	-1.39	-3.70	-69.58	-17.78	-3.33	-1.39	-10.53	-2.21	-2.37	-1.38	
NORTH		27.63	24.74	23.35	23.21	21.68	21.83	21.09	21.11	20.85	21.16	23.76	24.24	26.13	28.20	28.59	25.72	30.47	37.01	38.25	30.44	31.96	31.52	30.05	40.39	
61755		0.22	0.32	0.29	0.28	0.25	0.20	0.17	0.16	0.15	0.10	-0.01	-0.12	-0.25	-0.38	-0.44	-0.34	-0.23	-0.14	-0.01	0.05	0.05	0.13	0.19	0.71	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
NPX		27.91	24.84	23.52	23.44	21.95	22.18	21.47	21.55	21.32	22.70	24.73	26.86	27.57	29.93	30.33	27.23	32.07	38.60	39.68	31.48	33.48	32.70	31.00	40.74	
61845		0.51	0.42	0.46	0.52	0.53	0.54	0.56	0.60	0.63	0.72	0.96	0.98	1.19	1.35	1.30	1.18	1.37	1.58	1.43	1.09	1.28	1.31	1.22	1.21	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.90	0.00	-1.52	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	-0.28	0.00	0.08	0.15	

O H 61846	26.08 <b>-1.32</b> 0.00	22.85 <b>-1.57</b> 0.00	21.63 <b>-1.44</b> 0.00	21.39 <b>-1.53</b> 0.00	19.92 <b>-1.51</b> 0.00	20.12 <b>-1.51</b> 0.00	19.39 <b>-1.52</b> 0.00	19.33 <b>-1.62</b> 0.00	19.08 <b>-1.62</b> 0.00	19.42 <b>-1.65</b> 0.00	21.78 <b>-1.99</b> 0.00	22.74 <b>-1.62</b> 0.00	24.77 <b>-1.61</b> 0.00	26.80 <b>-1.78</b> 0.00	27.44 <b>-1.59</b> 0.00	24.40 <b>-1.66</b> 0.00	28.41 <b>-2.29</b> 0.00	34.12 <b>-3.03</b> 0.00	35.12 <b>-3.13</b> 0.00	27.96 <b>-2.44</b> 0.00	29.21 <b>-2.71</b> 0.00	28.69 <b>-2.71</b> 0.00	26.10 <b>-2.83</b> 0.92	38.15 <b>-3.81</b> -2.26
PJM 61847	29.28 <b>0.02</b> <b>-1.86</b>	22.36 <b>-0.31</b> <b>1.76</b>	22.76 <b>-0.30</b> <b>0.00</b>	22.59 <b>-0.33</b> <b>0.00</b>	21.11 <b>-0.32</b> <b>0.00</b>	21.37 <b>-0.26</b> <b>0.00</b>	20.62 <b>-0.30</b> <b>0.00</b>	20.64 <b>-0.31</b> <b>0.00</b>	20.43 <b>-0.27</b> <b>0.00</b>	15.28 <b>-0.18</b> <b>5.61</b>	23.73 <b>-0.04</b> <b>0.00</b>	16.62 <b>0.17</b> <b>7.90</b>	26.80 <b>0.42</b> <b>0.00</b>	29.15 <b>0.57</b> <b>0.00</b>	29.65 <b>0.62</b> <b>0.00</b>	26.46 <b>0.40</b> <b>0.00</b>	31.01 <b>0.31</b> <b>0.00</b>	37.27 <b>0.24</b> <b>0.13</b>	38.43 <b>0.18</b> <b>0.00</b>	30.55 <b>0.15</b> <b>0.00</b>	31.98 <b>0.06</b> <b>0.00</b>	31.35 <b>-0.04</b> <b>0.00</b>	29.36 <b>-0.12</b> <b>0.38</b>	42.17 <b>-0.51</b> <b>-2.99</b>
WEST 61752	26.60 <b>-0.80</b> <b>0.00</b>	23.24 <b>-1.18</b> <b>0.00</b>	21.96 <b>-1.10</b> <b>0.00</b>	21.72 <b>-1.20</b> <b>0.00</b>	20.21 <b>-1.21</b> <b>0.00</b>	20.42 <b>-1.21</b> <b>0.00</b>	19.65 <b>-1.26</b> <b>0.00</b>	19.61 <b>-1.34</b> <b>0.00</b>	19.38 <b>-1.31</b> <b>0.00</b>	19.76 <b>-1.31</b> <b>0.00</b>	22.20 <b>-1.57</b> <b>0.00</b>	23.15 <b>-1.21</b> <b>0.00</b>	25.24 <b>-1.15</b> <b>0.00</b>	27.35 <b>-1.23</b> <b>0.00</b>	27.99 <b>-1.04</b> <b>0.00</b>	24.91 <b>-1.15</b> <b>0.00</b>	29.05 <b>-1.65</b> <b>0.00</b>	34.99 <b>-2.16</b> <b>0.00</b>	36.04 <b>-2.22</b> <b>0.00</b>	28.65 <b>-1.75</b> <b>0.00</b>	29.90 <b>-2.02</b> <b>0.00</b>	29.32 <b>-2.07</b> <b>0.00</b>	27.62 <b>-2.23</b> <b>0.00</b>	36.58 <b>-3.11</b> <b>0.00</b>