

# Time Weighted/Integrated Real Time LBMP - Zonal

		--- LBMP \$					--- Marginal Cost of Losses					--- Marginal Cost of Congestion														
Zonal Data		10/18/2024																								
Name		00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	
PTID		EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	
CAPITL		26.16	26.51	28.69	26.30	25.56	29.76	49.20	119.16	51.29	29.39	24.58	23.31	22.23	21.58	21.75	22.51	27.90	32.30	40.28	47.88	41.50	38.10	25.90	25.32	
61757		0.77	0.73	0.77	0.75	0.67	0.81	1.33	4.06	1.31	0.40	0.27	0.33	0.27	0.32	0.33	0.44	0.65	0.94	1.21	1.37	1.18	0.96	0.65	0.65	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
CENTRL		25.36	25.84	27.97	25.53	24.91	29.05	48.27	116.58	50.36	29.22	24.35	22.92	21.94	21.19	21.41	21.96	27.15	31.28	39.28	46.85	40.45	37.33	25.31	24.69	
61754		-0.03	0.06	0.06	-0.03	0.02	0.11	0.39	1.49	0.38	0.23	0.04	-0.06	-0.02	-0.07	-0.02	-0.11	-0.09	-0.08	0.21	0.34	0.14	0.19	0.06	0.03	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
DUNWOD		26.25	26.51	28.56	26.14	25.46	29.59	48.91	118.73	51.34	29.96	25.35	24.05	22.98	22.27	22.49	23.20	28.55	32.72	40.60	48.32	41.86	38.51	26.26	25.69	
61760		0.86	0.73	0.65	0.59	0.56	0.64	1.03	3.63	1.37	0.97	1.03	1.07	1.02	1.01	1.07	1.13	1.30	1.37	1.54	1.81	1.54	1.37	1.01	1.03	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GENESE		25.26	25.85	27.90	25.25	24.67	28.81	47.91	115.73	49.97	29.13	24.24	22.67	21.76	20.98	21.20	21.65	26.71	30.71	38.57	46.08	39.76	36.77	24.96	24.29	
61753		-0.12	0.06	-0.02	-0.31	-0.22	-0.14	0.03	0.63	-0.01	0.14	-0.08	-0.30	-0.20	-0.28	-0.23	-0.42	-0.54	-0.65	-0.49	-0.43	-0.55	-0.37	-0.30	-0.37	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
H Q		25.57	26.01	28.21	25.83	25.15	29.27	47.81	108.85	50.49	29.30	24.57	23.16	22.12	21.37	21.84	22.20	27.40	31.50	39.21	46.72	40.48	39.85	24.27	24.81	
61844		0.19	0.22	0.29	0.27	0.26	0.32	0.44	0.43	0.51	0.31	0.26	0.18	0.16	0.11	0.13	0.14	0.16	0.14	0.15	0.21	0.22	0.28	0.17	0.14	
		0.00	0.00	0.00	0.00	0.00	0.00	0.51	6.68	0.00	0.00	0.00	0.00	0.00	0.00	-0.29	0.00	0.00	0.00	0.00	0.00	0.05	-2.43	1.15	0.00	
HUD VL		26.06	26.35	28.43	26.04	25.36	29.47	48.79	118.27	51.09	29.68	25.02	23.71	22.66	21.96	22.16	22.88	28.18	32.38	40.29	48.00	41.59	38.22	26.04	25.47	
61758		0.68	0.56	0.52	0.48	0.46	0.52	0.92	3.18	1.11	0.69	0.71	0.74	0.70	0.70	0.74	0.80	0.93	1.02	1.23	1.49	1.27	1.08	0.79	0.81	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
LONGIL		26.23	26.61	28.56	26.13	25.33	29.42	40.46	110.78	41.35	29.73	25.44	24.09	22.97	22.25	22.52	23.34	28.59	32.54	40.13	47.05	41.58	32.22	26.34	25.87	
61762		0.85	0.82	0.65	0.57	0.44	0.47	0.31	1.90	0.63	0.74	1.12	1.11	1.02	0.99	1.10	1.27	1.34	1.18	1.07	1.15	1.27	1.15	1.09	1.20	
		0.00	0.00	0.00	0.00	0.00	0.00	7.72	6.21	9.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.61	0.00	6.07	0.00	0.00	
MHK VL		26.00	26.45	28.69	26.26	25.64	29.88	50.97	137.25	51.70	29.76	24.87	23.46	22.39	21.65	21.81	22.47	27.88	32.27	40.43	48.12	41.57	38.26	25.92	25.30	
61756		0.61	0.67	0.78	0.70	0.74	0.93	1.77	4.81	1.72	0.77	0.55	0.48	0.43	0.39	0.38	0.39	0.63	0.91	1.37	1.61	1.26	1.12	0.67	0.64	
		0.00	0.00	0.00	0.00	0.00	0.00	-1.32	-17.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
MILLWD		26.19	26.47	28.52	26.12	25.44	29.58	48.93	118.78	51.34	29.92	25.26	23.96	22.89	22.18	22.38	23.09	28.43	32.60	40.47	48.17	41.74	38.38	26.17	25.60	
61759		0.80	0.68	0.61	0.56	0.54	0.63	1.06	3.69	1.37	0.93	0.95	0.98	0.94	0.92	0.96	1.02	1.18	1.24	1.41	1.66	1.43	1.24	0.92	0.94	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
N.Y.C.		26.38	26.62	28.69	26.28	25.58	29.72	49.08	119.16	51.60	30.20	25.57	24.27	23.21	22.49	22.70	23.40	28.75	32.93	40.80	48.53	42.06	38.71	26.42	25.83	
61761		1.00	0.84	0.77	0.72	0.69	0.77	1.21	4.06	1.62	1.20	1.25	1.30	1.25	1.23	1.28	1.33	1.51	1.57	1.73	2.01	1.75	1.58	1.16	1.16	
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
NORTH		25.86	26.37	28.72	26.36	25.66	29.97	55.75	201.01	51.60	29.82	24.98	23.44	22.35	21.52	21.76	22.41	27.66	31.74	39.62	47.20	40.95	37.86	25.66	24.98	
61755		0.47	0.59	0.80	0.80	0.77	1.02	1.57	3.47	1.62	0.83	0.67	0.47	0.39	0.26	0.33	0.34	0.41	0.39	0.55	0.69	0.64	0.72	0.41	0.32	
		0.00	0.00	0.00	0.00	0.00	0.00	-6.30	-82.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
NPX		25.90	26.24	28.33	25.98	25.02	30.96	47.76	117.59	48.22	29.32	24.64	23.40	22.32	21.67	22.14	22.41	27.90	32.13	39.90	47.39	41.08	40.18	26.29	25.73	
61845		0.52	0.45	0.41	0.42	0.37	0.45	0.59	2.49	0.79	0.33	0.33	0.43	0.36	0.41	0.44	0.52	0.65	0.77	0.83	0.88	0.81	0.61	0.49	0.56	
		0.00	0.00	0.00	0.00	0.25	-1.56	0.71	0.00	2.55	0.00	0.00	0.00	0.00	0.00	-0.29	0.17	0.00	0.00	0.00	0.00	0.05	-2.43	-0.55	-0.51	

O H 61846	24.86 <b>-0.53</b> 0.00	25.58 <b>-0.20</b> 0.00	27.58 <b>-0.34</b> 0.00	24.82 <b>-0.74</b> 0.00	24.27 <b>-0.62</b> 0.00	28.29 <b>-0.65</b> 0.00	46.94 <b>-0.94</b> 0.00	113.29 <b>-1.81</b> 0.00	48.96 <b>-1.02</b> 0.00	28.95 <b>-0.04</b> 0.00	24.15 <b>-0.17</b> 0.00	22.49 <b>-0.48</b> 0.00	21.66 <b>-0.30</b> 0.00	20.81 <b>-0.45</b> 0.00	21.11 <b>-0.31</b> 0.00	21.43 <b>-0.64</b> 0.00	26.32 <b>-0.93</b> 0.00	29.89 <b>-1.47</b> 0.00	37.54 <b>-1.53</b> 0.00	44.91 <b>-1.61</b> 0.00	38.75 <b>-1.56</b> 0.00	35.56 <b>-1.11</b> 0.47	21.93 <b>-0.72</b> 2.61	23.90 <b>-0.76</b> 0.00
PJM 61847	25.41 <b>0.02</b> 0.00	25.86 <b>0.08</b> 0.00	27.89 <b>-0.02</b> 0.00	25.37 <b>-0.19</b> 0.00	24.76 <b>-0.13</b> 0.00	28.81 <b>-0.14</b> 0.00	47.76 <b>-0.11</b> 0.00	115.64 <b>0.54</b> 0.00	49.85 <b>-0.13</b> 0.00	29.20 <b>0.21</b> 0.00	24.57 <b>0.26</b> 0.00	23.16 <b>0.18</b> 0.00	22.21 <b>0.25</b> 0.00	21.41 <b>0.15</b> 0.00	22.00 <b>0.29</b> -0.29	22.17 <b>0.13</b> 0.04	27.31 <b>0.08</b> 0.02	30.71 <b>-0.23</b> 0.41	51.14 <b>-0.05</b> -12.12	46.68 <b>0.17</b> 0.00	40.19 <b>-0.08</b> 0.05	39.58 <b>0.02</b> -2.43	24.10 <b>0.00</b> 1.15	24.69 <b>0.03</b> 0.00
WEST 61752	25.32 <b>-0.06</b> 0.00	26.04 <b>0.25</b> 0.00	28.09 <b>0.18</b> 0.00	25.30 <b>-0.26</b> 0.00	24.75 <b>-0.14</b> 0.00	28.89 <b>-0.06</b> 0.00	48.05 <b>0.17</b> 0.00	116.09 <b>0.99</b> 0.00	50.15 <b>0.17</b> 0.00	29.64 <b>0.65</b> 0.00	24.70 <b>0.39</b> 0.00	23.02 <b>0.05</b> 0.00	22.15 <b>0.20</b> 0.00	21.26 <b>0.01</b> 0.00	21.58 <b>0.16</b> 0.00	21.89 <b>-0.18</b> 0.00	26.89 <b>-0.36</b> 0.00	30.55 <b>-0.81</b> 0.00	38.47 <b>-0.60</b> 0.00	46.05 <b>-0.46</b> 0.00	39.69 <b>-0.62</b> 0.00	36.88 <b>-0.26</b> 0.00	25.08 <b>-0.17</b> 0.00	24.45 <b>-0.22</b> 0.00