

# Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

## Zonal Data

03/18/2025

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	46.60	44.04	41.10	44.83	45.10	49.59	82.11	221.48	57.68	35.62	37.24	35.27	32.40	28.97	27.68	28.23	27.22	31.63	51.94	101.54	75.73	47.75	41.88	43.98
61757	1.01	0.99	0.95	1.06	1.08	1.66	2.69	8.21	2.03	0.88	0.83	0.66	0.58	0.52	0.54	0.60	0.78	1.06	1.85	3.57	2.58	1.71	1.40	1.47
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL	45.20	42.74	39.82	43.37	43.53	47.27	78.78	211.29	54.68	34.01	35.62	33.95	31.22	27.88	26.55	27.01	25.70	29.72	49.18	96.71	71.98	44.95	39.38	41.38
61754	-0.39	-0.31	-0.33	-0.40	-0.48	-0.66	-0.64	-1.98	-0.97	-0.73	-0.79	-0.67	-0.59	-0.57	-0.59	-0.63	-0.73	-0.85	-0.91	-1.26	-1.17	-1.09	-1.10	-1.14
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD	46.69	44.05	41.17	44.96	45.16	49.50	82.13	223.04	58.05	36.37	38.22	36.23	33.22	29.66	28.37	28.90	28.68	32.16	52.34	102.29	76.57	48.35	42.42	44.09
61760	1.10	1.00	1.03	1.19	1.15	1.57	2.71	9.76	2.40	1.63	1.81	1.62	1.41	1.21	1.23	1.26	1.39	1.59	2.25	4.32	3.42	2.31	1.94	1.58
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE	44.67	42.31	39.17	42.54	42.77	46.33	77.29	205.60	53.36	33.41	34.98	33.31	30.71	27.38	26.02	26.47	25.02	28.75	47.68	93.92	69.86	43.53	38.12	40.42
61753	-0.92	-0.73	-0.97	-1.23	-1.25	-1.60	-2.13	-7.68	-2.28	-1.33	-1.43	-1.30	-1.11	-1.07	-1.12	-1.16	-1.41	-1.82	-2.41	-4.05	-3.29	-2.51	-2.36	-2.11
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q	46.32	43.65	40.74	44.32	44.67	48.56	80.43	215.15	56.25	35.78	36.79	34.96	32.14	28.74	27.40	27.89	26.63	30.77	50.42	98.67	73.68	46.39	40.92	43.06
61844	0.73	0.61	0.51	0.55	0.65	0.64	1.02	1.88	0.61	0.41	0.38	0.34	0.33	0.30	0.26	0.25	0.20	0.20	0.33	0.70	0.53	0.35	0.44	0.55
	0.00	0.00	-0.08	0.00	0.00	0.00	0.00	0.00	0.00	-0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
HUD VL	46.45	43.85	40.98	44.76	44.98	49.29	81.88	222.10	57.76	36.01	37.78	35.82	32.83	29.33	28.05	28.57	27.50	31.83	51.96	101.67	76.11	48.01	42.11	43.84
61758	0.86	0.80	0.84	0.99	0.96	1.36	2.47	8.83	2.12	1.27	1.37	1.20	1.02	0.89	0.91	0.94	1.06	1.26	1.87	3.69	2.96	1.97	1.63	1.33
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL	46.40	43.52	40.86	44.61	44.67	49.13	80.67	216.72	57.15	36.46	38.48	36.29	33.26	29.71	28.51	29.04	28.92	32.03	51.79	101.17	75.94	48.35	42.44	44.20
61762	0.81	0.47	0.71	0.84	0.66	1.20	1.26	6.20	1.50	1.72	2.07	1.67	1.45	1.26	1.37	1.40	1.65	1.46	1.70	3.20	2.79	2.30	1.96	1.69
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MHK VL	46.83	44.23	41.30	45.11	45.37	49.53	82.64	222.59	57.52	35.61	37.17	35.33	32.39	28.89	27.54	28.05	26.86	31.23	51.61	101.20	75.30	47.02	41.12	43.10
61756	1.24	1.19	1.15	1.34	1.36	1.60	3.22	9.31	1.87	0.87	0.76	0.71	0.58	0.44	0.40	0.42	0.42	0.66	1.52	3.23	2.14	0.98	0.64	0.58
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MILLWD	46.51	43.92	41.04	44.84	45.05	49.36	81.97	222.46	57.88	36.24	38.06	36.08	33.02	29.49	28.21	28.72	28.03	31.98	52.10	101.89	76.26	48.13	42.21	43.94
61759	0.92	0.87	0.90	1.07	1.04	1.44	2.55	9.18	2.23	1.50	1.65	1.47	1.21	1.05	1.06	1.08	1.21	1.41	2.01	3.92	3.10	2.08	1.73	1.42
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C.	47.38	45.04	42.55	45.77	45.96	50.07	82.71	224.30	63.64	38.50	41.18	38.67	35.58	32.40	31.28	31.79	31.72	35.30	54.05	102.85	79.58	57.70	45.30	45.84
61761	1.30	1.21	1.22	1.41	1.37	1.78	3.05	11.03	2.75	1.90	2.14	1.95	1.71	1.49	1.48	1.51	1.63	1.84	2.54	4.87	3.78	2.54	2.16	1.82
	-0.49	-0.78	-1.19	-0.60	-0.57	-0.35	-0.25	0.00	-5.24	-1.86	-2.63	-2.10	-2.05	-2.47	-2.66	-2.64	-3.66	-2.89	-1.43	0.00	-2.65	-9.12	-2.66	-1.50
NORTH	47.21	44.44	41.43	45.15	45.60	49.52	81.93	219.59	57.35	35.68	37.27	35.34	32.49	29.07	27.69	28.17	26.87	31.09	50.98	100.01	74.74	47.16	41.61	43.82
61755	1.62	1.40	1.28	1.39	1.59	1.59	2.52	6.31	1.70	0.94	0.87	0.72	0.68	0.63	0.55	0.53	0.43	0.52	0.89	2.03	1.58	1.11	1.13	1.30
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NPX	45.79	43.32	40.62	44.21	44.10	48.72	80.28	215.98	58.38	34.69	37.26	35.33	32.46	29.03	27.79	28.28	27.43	31.62	51.47	97.82	75.13	47.53	41.49	44.83
61845	0.20	0.27	0.39	0.44	0.40	0.74	0.86	3.57	1.19	0.74	0.84	0.72	0.64	0.59	0.64	0.70	0.86	1.05	1.39	2.41	1.98	1.48	1.26	1.16
	0.00	0.00	-0.08	0.00	0.31	-0.05	0.00	0.86	-1.54	0.79	0.00	0.00	0.00	0.00	0.00	0.05	-0.14	0.00	0.00	2.56	0.00	0.00	0.25	-1.15

O H 61846	43.78 <span>-1.81</span> <span>0.00</span>	41.56 <span>-1.49</span> <span>0.00</span>	38.31 <span>-1.84</span> <span>0.00</span>	41.43 <span>-2.34</span> <span>0.00</span>	41.64 <span>-2.37</span> <span>0.00</span>	44.93 <span>-3.00</span> <span>0.00</span>	74.74 <span>-4.68</span> <span>0.00</span>	196.92 <span>-16.35</span> <span>0.00</span>	51.41 <span>-4.23</span> <span>0.00</span>	32.73 <span>-2.01</span> <span>0.00</span>	34.38 <span>-2.03</span> <span>0.00</span>	32.81 <span>-1.81</span> <span>0.00</span>	30.34 <span>-1.47</span> <span>0.00</span>	27.03 <span>-1.42</span> <span>0.00</span>	25.65 <span>-1.50</span> <span>0.00</span>	26.09 <span>-1.55</span> <span>0.00</span>	24.40 <span>-2.04</span> <span>0.00</span>	27.75 <span>-2.82</span> <span>0.00</span>	45.93 <span>-4.16</span> <span>0.00</span>	90.36 <span>-7.61</span> <span>0.00</span>	67.09 <span>-6.07</span> <span>0.00</span>	41.68 <span>-4.36</span> <span>0.00</span>	36.60 <span>-3.88</span> <span>0.00</span>	39.15 <span>-3.37</span> <span>0.00</span>
PJM 61847	45.14 <span>-0.46</span> <span>0.00</span>	42.65 <span>-0.39</span> <span>0.00</span>	39.78 <span>-0.45</span> <span>-0.08</span>	43.32 <span>-0.45</span> <span>0.00</span>	43.49 <span>-0.52</span> <span>0.00</span>	47.35 <span>-0.58</span> <span>0.00</span>	78.78 <span>-0.64</span> <span>0.00</span>	211.98 <span>-1.29</span> <span>0.00</span>	54.96 <span>-0.69</span> <span>0.00</span>	35.06 <span>-0.30</span> <span>-0.63</span>	36.23 <span>-0.18</span> <span>0.00</span>	34.50 <span>-0.11</span> <span>0.00</span>	31.72 <span>-0.09</span> <span>0.00</span>	28.34 <span>-0.11</span> <span>0.00</span>	27.05 <span>-0.09</span> <span>0.00</span>	27.49 <span>-0.15</span> <span>0.00</span>	23.95 <span>-0.25</span> <span>2.23</span>	30.12 <span>-0.45</span> <span>0.00</span>	49.45 <span>-0.64</span> <span>0.00</span>	97.05 <span>-0.92</span> <span>0.00</span>	72.41 <span>-0.74</span> <span>0.00</span>	45.32 <span>-0.72</span> <span>0.00</span>	39.83 <span>-0.65</span> <span>0.00</span>	41.74 <span>-0.77</span> <span>0.00</span>
WEST 61752	44.83 <span>-0.76</span> <span>0.00</span>	42.49 <span>-0.55</span> <span>0.00</span>	39.12 <span>-1.03</span> <span>0.00</span>	42.41 <span>-1.36</span> <span>0.00</span>	42.63 <span>-1.39</span> <span>0.00</span>	46.06 <span>-1.87</span> <span>0.00</span>	76.87 <span>-2.55</span> <span>0.00</span>	203.02 <span>-10.25</span> <span>0.00</span>	52.77 <span>-2.88</span> <span>0.00</span>	33.39 <span>-1.35</span> <span>0.00</span>	35.07 <span>-1.34</span> <span>0.00</span>	33.49 <span>-1.12</span> <span>0.00</span>	30.98 <span>-0.83</span> <span>0.00</span>	27.58 <span>-0.87</span> <span>0.00</span>	26.16 <span>-0.98</span> <span>0.00</span>	26.56 <span>-1.08</span> <span>0.00</span>	24.84 <span>-1.59</span> <span>0.00</span>	28.32 <span>-2.25</span> <span>0.00</span>	47.07 <span>-3.02</span> <span>0.00</span>	92.84 <span>-5.14</span> <span>0.00</span>	68.84 <span>-4.31</span> <span>0.00</span>	42.62 <span>-3.43</span> <span>0.00</span>	37.38 <span>-3.10</span> <span>0.00</span>	39.84 <span>-2.68</span> <span>0.00</span>