

# Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

## Zonal Data

04/13/2025

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	64.93	46.97	33.99	39.58	39.88	46.88	52.24	54.60	46.21	37.44	33.77	41.22	31.93	33.61	30.57	31.07	23.54	26.73	36.20	53.93	157.23	47.59	43.00	42.14
61757	1.68	1.23	0.89	1.06	1.08	1.22	1.44	1.51	1.44	1.28	1.21	1.50	1.11	1.21	1.09	1.09	0.73	0.84	1.20	1.72	4.84	1.41	1.24	1.16
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL	62.94	45.44	32.88	38.29	38.61	45.41	50.64	52.86	44.29	35.51	31.94	38.94	30.21	31.71	28.90	29.36	22.37	25.44	34.47	51.74	151.77	46.03	41.77	41.06
61754	-0.30	-0.31	-0.21	-0.23	-0.19	-0.25	-0.16	-0.23	-0.48	-0.65	-0.62	-0.78	-0.61	-0.70	-0.59	-0.62	-0.43	-0.46	-0.53	-0.46	-0.61	-0.15	0.01	0.08
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD	65.84	47.50	34.38	40.03	40.23	47.55	52.93	55.49	46.98	38.04	34.51	42.20	32.82	34.55	31.49	31.98	24.35	27.48	37.02	55.08	160.30	48.68	43.85	43.00
61760	2.60	1.76	1.28	1.51	1.43	1.89	2.14	2.40	2.21	1.88	1.94	2.48	2.01	2.15	2.00	1.99	1.55	1.58	2.01	2.87	7.92	2.49	2.10	2.03
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE	61.19	44.12	31.91	37.15	37.51	44.10	49.24	51.05	42.68	34.12	30.55	37.25	28.90	30.26	27.56	28.09	21.52	24.41	32.97	49.54	145.31	44.24	40.49	39.74
61753	-2.05	-1.63	-1.19	-1.37	-1.29	-1.56	-1.56	-2.04	-2.10	-2.05	-2.02	-2.47	-1.91	-2.14	-1.93	-1.89	-1.29	-1.49	-2.03	-2.67	-7.07	-1.94	-1.26	-1.24
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q	63.80	46.17	33.39	38.82	39.13	46.02	51.10	53.41	45.04	36.36	32.62	39.75	30.81	32.35	29.40	29.91	22.80	25.94	35.05	52.34	152.87	46.32	41.88	41.10
61844	0.56	0.43	0.29	0.30	0.33	0.36	0.30	0.32	0.26	0.20	0.06	0.03	-0.01	-0.05	-0.09	-0.07	-0.01	0.04	0.05	0.14	0.49	0.13	0.12	0.12
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
HUD VL	65.22	47.09	34.09	39.70	39.93	47.16	52.54	55.05	46.55	37.65	34.09	41.69	32.44	34.17	31.13	31.62	24.06	27.16	36.61	54.54	158.76	48.15	43.39	42.55
61758	1.98	1.35	0.99	1.18	1.13	1.50	1.74	1.95	1.78	1.48	1.52	1.97	1.63	1.77	1.64	1.64	1.26	1.27	1.61	2.33	6.37	1.96	1.64	1.58
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL	65.01	46.87	34.05	39.69	39.71	46.97	52.04	54.55	46.32	37.70	34.52	41.91	32.35	34.15	31.19	31.72	23.47	26.85	36.88	55.01	159.24	48.65	43.54	42.70
61762	1.77	1.13	0.95	1.17	0.90	1.31	1.24	1.48	1.55	1.55	1.95	2.19	1.74	1.91	1.93	1.85	1.59	1.57	1.92	2.80	7.22	2.47	1.79	1.72
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.01	0.00	0.00	0.20	0.16	0.22	0.11	0.93	0.62	0.03	0.00	0.36	0.00	0.00	0.00
MHK VL	64.87	46.80	33.76	39.25	39.51	46.57	51.89	54.30	45.68	36.82	33.12	40.28	31.20	32.75	29.76	30.19	22.93	26.12	35.56	53.42	156.25	47.21	42.59	41.78
61756	1.63	1.06	0.66	0.73	0.70	0.91	1.09	1.21	0.91	0.65	0.55	0.56	0.38	0.35	0.28	0.21	0.13	0.22	0.55	1.22	3.87	1.02	0.84	0.80
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MILLWD	65.56	47.31	34.25	39.88	40.09	47.36	52.75	55.29	46.81	37.90	34.36	42.02	32.69	34.40	31.36	31.85	24.24	27.36	36.85	54.83	159.66	48.45	43.65	42.80
61759	2.32	1.57	1.15	1.37	1.29	1.70	1.95	2.20	2.04	1.73	1.79	2.30	1.87	2.00	1.87	1.86	1.43	1.46	1.85	2.62	7.27	2.26	1.89	1.82
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C.	66.23	48.50	37.06	41.87	42.02	48.37	53.61	56.18	48.22	40.51	37.23	43.86	38.31	39.31	37.34	36.45	45.37	43.92	40.66	55.79	164.02	50.82	46.61	44.72
61761	2.99	2.04	1.49	1.77	1.70	2.23	2.51	2.81	2.58	2.22	2.25	2.83	2.30	2.45	2.29	2.28	1.73	1.78	2.29	3.25	8.90	2.90	2.48	2.40
	0.00	-0.72	-2.47	-1.58	-1.52	-0.48	-0.30	-0.27	-0.87	-2.12	-2.41	-1.31	-5.19	-4.45	-5.56	-4.18	-20.83	-16.24	-3.36	-0.34	-2.74	-1.74	-2.37	-1.34
NORTH	64.89	46.97	33.95	39.43	39.76	46.77	51.77	54.20	45.72	36.88	32.96	40.06	30.97	32.49	29.47	29.98	22.90	26.11	35.35	52.92	154.71	46.84	42.23	41.38
61755	1.65	1.22	0.85	0.91	0.96	1.11	0.97	1.11	0.94	0.71	0.39	0.34	0.16	0.09	-0.02	-0.01	0.10	0.21	0.35	0.71	2.33	0.66	0.48	0.40
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NPX	64.39	46.61	33.75	39.32	39.57	46.57	51.88	54.27	46.02	37.36	33.80	41.43	32.16	33.93	30.91	31.41	23.84	26.97	36.30	52.98	156.54	47.40	42.83	41.97
61845	1.15	0.87	0.66	0.80	0.77	0.90	1.08	1.18	1.25	1.19	1.23	1.70	1.35	1.52	1.42	1.42	1.04	1.07	1.29	1.61	4.15	1.22	1.07	0.99
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.83	0.00	0.00	0.00	0.00

O H 61846	59.05 <b>-4.19</b> 0.00	42.56 <b>-3.18</b> 0.00	30.82 <b>-2.28</b> 0.00	35.86 <b>-2.66</b> 0.00	36.28 <b>-2.52</b> 0.00	42.56 <b>-3.10</b> 0.00	47.51 <b>-3.29</b> 0.00	49.01 <b>-4.08</b> 0.00	41.07 <b>-3.70</b> 0.00	32.84 <b>-3.32</b> 0.00	29.27 <b>-3.30</b> 0.00	35.76 <b>-3.96</b> 0.00	27.77 <b>-3.05</b> 0.00	29.00 <b>-3.41</b> 0.00	26.43 <b>-3.06</b> 0.00	27.03 <b>-2.95</b> 0.00	20.78 <b>-2.02</b> 0.00	23.35 <b>-2.55</b> 0.00	31.19 <b>-3.81</b> 0.00	46.71 <b>-5.49</b> 0.00	137.29 <b>-15.10</b> 0.00	42.08 <b>-4.11</b> 0.00	39.08 <b>-2.68</b> 0.00	38.43 <b>-2.55</b> 0.00
PJM 61847	63.04 <b>-0.20</b> 0.00	45.43 <b>-0.31</b> 0.00	32.89 <b>-0.21</b> 0.00	38.37 <b>-0.15</b> 0.00	38.65 <b>-0.15</b> 0.00	45.55 <b>-0.11</b> 0.00	50.82 <b>0.02</b> 0.00	53.10 <b>0.01</b> 0.00	44.68 <b>-0.10</b> 0.00	35.94 <b>-0.24</b> -0.01	32.48 <b>-0.09</b> 0.00	39.70 <b>-0.02</b> 0.00	31.09 <b>0.08</b> -0.20	32.57 <b>0.00</b> -0.16	29.78 <b>0.07</b> -0.22	30.12 <b>0.02</b> -0.11	24.25 <b>0.11</b> -1.33	26.87 <b>-0.03</b> -0.99	34.81 <b>-0.24</b> -0.05	51.95 <b>-0.26</b> 0.00	152.05 <b>-0.33</b> 0.00	46.14 <b>-0.05</b> 0.00	35.88 <b>0.15</b> 6.02	41.27 <b>0.29</b> 0.00
WEST 61752	60.64 <b>-2.60</b> 0.00	43.68 <b>-2.06</b> 0.00	31.62 <b>-1.48</b> 0.00	36.82 <b>-1.70</b> 0.00	37.23 <b>-1.57</b> 0.00	43.67 <b>-2.00</b> 0.00	48.78 <b>-2.02</b> 0.00	50.43 <b>-2.67</b> 0.00	42.15 <b>-2.62</b> 0.00	33.62 <b>-2.55</b> 0.00	30.03 <b>-2.54</b> 0.00	36.67 <b>-3.05</b> 0.00	28.48 <b>-2.34</b> 0.00	29.73 <b>-2.67</b> 0.00	27.10 <b>-2.38</b> 0.00	27.66 <b>-2.32</b> 0.00	21.25 <b>-1.55</b> 0.00	23.94 <b>-1.96</b> 0.00	32.07 <b>-2.93</b> 0.00	48.22 <b>-3.99</b> 0.00	141.93 <b>-10.46</b> 0.00	43.45 <b>-2.73</b> 0.00	40.23 <b>-1.53</b> 0.00	39.57 <b>-1.41</b> 0.00