

# Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

## Zonal Data

06/08/2025

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	31.90	28.84	24.02	24.07	21.64	21.75	23.60	21.03	21.78	21.66	25.49	26.15	26.02	22.87	29.82	31.61	40.39	45.56	47.45	46.41	50.01	44.15	31.13	28.80
61757	1.01	0.93	0.86	0.80	0.80	0.74	0.67	0.67	0.60	0.45	0.40	0.40	0.37	0.39	0.51	0.63	0.98	1.25	1.47	1.54	1.71	1.34	0.93	0.81
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.94	0.06	0.08	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL	30.99	27.94	23.22	23.28	20.91	21.02	22.72	20.06	20.86	20.82	24.60	25.25	25.25	25.06	28.97	30.75	39.29	43.78	45.49	44.22	47.61	42.28	29.85	27.70
61754	0.10	0.04	0.05	0.01	0.07	0.01	-0.20	-0.29	-0.31	-0.39	-0.49	-0.50	-0.40	-0.36	-0.40	-0.32	-0.32	-0.53	-0.49	-0.64	-0.69	-0.53	-0.35	-0.28
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD	32.91	29.74	24.80	24.69	22.23	22.37	24.23	21.72	22.66	22.66	26.81	27.53	27.42	29.35	31.48	33.22	42.24	47.07	48.56	47.40	51.11	45.22	31.94	29.37
61760	2.02	1.83	1.64	1.42	1.40	1.36	1.31	1.37	1.48	1.45	1.72	1.78	1.76	1.79	2.07	2.10	2.49	2.76	2.59	2.54	2.81	2.41	1.74	1.39
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.14	-0.04	-0.06	-0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE	30.65	27.51	22.83	22.87	20.52	20.58	22.08	19.39	20.23	20.19	24.06	24.81	24.96	24.66	28.46	30.14	38.52	42.96	44.54	43.27	46.60	41.59	29.36	27.34
61753	-0.24	-0.40	-0.33	-0.40	-0.32	-0.43	-0.85	-0.96	-0.95	-1.02	-1.02	-0.94	-0.70	-0.76	-0.90	-0.92	-1.09	-1.35	-1.44	-1.59	-1.70	-1.22	-0.83	-0.64
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q	28.54	27.77	22.93	23.10	20.58	20.81	22.89	20.34	21.18	21.29	25.24	25.94	25.86	25.61	29.57	31.25	42.47	44.59	46.33	47.27	48.67	43.18	30.42	28.17
61844	-0.11	-0.14	-0.23	-0.17	-0.26	-0.20	-0.03	-0.05	0.00	0.08	0.15	0.19	0.20	0.18	0.21	0.19	0.22	0.28	0.36	0.39	0.37	0.37	0.22	0.19
	2.24	0.00	0.00	0.00	0.00	0.00	0.00	-0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.64	0.00	0.00	-2.02	0.00	0.00	0.00	0.00
HUD VL	32.66	29.52	24.63	24.54	22.09	22.23	24.09	21.57	22.48	22.46	26.56	27.29	27.21	28.92	31.23	32.98	41.97	46.84	48.36	47.20	50.89	45.02	31.76	29.23
61758	1.77	1.61	1.46	1.27	1.26	1.22	1.16	1.22	1.30	1.25	1.48	1.55	1.55	1.58	1.83	1.86	2.25	2.53	2.38	2.34	2.60	2.21	1.56	1.25
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-1.91	-0.04	-0.05	-0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL	33.22	30.05	25.04	24.85	22.40	22.55	24.24	21.70	22.73	22.78	30.22	27.80	27.54	29.56	31.50	33.30	42.32	47.17	48.46	47.41	50.88	45.26	31.77	29.16
61762	2.33	2.14	1.88	1.58	1.56	1.54	1.31	1.34	1.55	1.56	2.05	2.06	1.88	1.99	2.10	2.18	2.57	2.86	2.48	2.54	2.58	2.45	1.57	1.18
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01	-3.09	0.00	0.00	-2.14	-0.04	-0.06	-0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MHK VL	31.74	28.66	23.86	23.96	21.51	21.64	23.50	20.79	21.61	21.60	25.48	26.10	26.04	25.83	29.91	31.73	40.66	45.61	47.39	46.17	49.70	44.04	30.89	28.52
61756	0.84	0.75	0.70	0.69	0.67	0.63	0.57	0.44	0.44	0.39	0.39	0.36	0.39	0.40	0.55	0.67	1.05	1.30	1.42	1.31	1.40	1.23	0.70	0.53
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MILLWD	32.72	29.59	24.69	24.58	22.13	22.26	24.12	21.63	22.55	22.54	26.65	27.38	27.27	29.20	31.30	33.05	42.03	46.87	48.37	47.22	50.93	45.03	31.79	29.24
61759	1.83	1.68	1.52	1.30	1.29	1.26	1.20	1.28	1.37	1.33	1.57	1.64	1.61	1.63	1.89	1.93	2.28	2.56	2.40	2.36	2.63	2.22	1.59	1.26
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.14	-0.04	-0.06	-0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C.	33.06	29.88	24.91	24.77	22.32	22.45	24.31	21.83	22.80	22.80	26.97	27.70	27.58	29.51	31.64	33.39	42.38	47.23	48.67	47.51	51.22	45.34	32.03	29.45
61761	2.17	1.97	1.75	1.50	1.48	1.44	1.39	1.48	1.63	1.60	1.89	1.95	1.93	1.95	2.24	2.26	2.63	2.92	2.70	2.64	2.93	2.52	1.83	1.47
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-2.14	-0.04	-0.06	-0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NORTH	31.05	28.01	23.12	23.24	20.72	20.94	23.03	20.44	21.33	21.43	25.39	26.15	26.11	25.82	29.79	31.47	40.11	45.04	46.91	45.84	49.29	43.77	30.79	28.45
61755	0.16	0.10	-0.05	-0.03	-0.12	-0.07	0.11	0.08	0.15	0.22	0.30	0.40	0.45	0.40	0.43	0.40	0.50	0.72	0.93	0.98	0.99	0.96	0.59	0.47
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NPX	28.44	29.19	24.43	24.35	22.37	22.14	23.66	-19.47	22.24	22.22	26.17	26.77	26.50	-9.04	29.74	30.92	40.13	45.75	46.47	48.34	50.13	44.10	31.28	29.09
61845	1.32	1.28	1.27	1.10	1.23	1.14	1.05	1.26	1.15	1.02	1.08	1.03	0.87	0.79	1.05	0.86	0.94	1.41	1.34	1.46	1.84	1.29	1.08	0.95
	3.77	0.00	0.00	0.02	-0.31	0.00	0.31	41.08	0.09	0.00	-0.01	0.00	0.03	35.26	0.68	1.00	0.43	-0.03	0.84	-2.02	0.00	0.00	0.00	-0.16

O H 61846	30.27 <b>-0.62</b> 0.00	27.10 <b>-0.81</b> 0.00	22.50 <b>-0.66</b> 0.00	22.56 <b>-0.71</b> 0.00	20.25 <b>-0.59</b> 0.00	20.26 <b>-0.75</b> 0.00	21.57 <b>-1.35</b> 0.00	18.84 <b>-1.51</b> 0.00	19.74 <b>-1.44</b> 0.00	19.73 <b>-1.47</b> 0.00	23.60 <b>-1.49</b> 0.00	24.38 <b>-1.37</b> 0.00	24.66 <b>-1.00</b> 0.00	24.23 <b>-1.20</b> 0.00	27.88 <b>-1.48</b> 0.00	29.34 <b>-1.72</b> 0.00	37.40 <b>-2.22</b> 0.00	41.53 <b>-2.78</b> 0.00	43.06 <b>-2.92</b> 0.00	41.75 <b>-3.11</b> 0.00	44.93 <b>-3.36</b> 0.00	40.25 <b>-2.56</b> 0.00	28.51 <b>-1.68</b> 0.00	26.73 <b>-1.25</b> 0.00
PJM 61847	34.54 <b>0.12</b> <b>-3.53</b>	27.90 <b>0.00</b> 0.00	23.23 <b>0.07</b> 0.00	23.22 <b>-0.05</b> 0.00	20.90 <b>0.06</b> 0.00	20.98 <b>-0.03</b> 0.00	22.56 <b>-0.36</b> 0.00	19.95 <b>-0.44</b> <b>-0.03</b>	20.80 <b>-0.37</b> 0.00	20.78 <b>-0.43</b> 0.00	24.70 <b>-0.39</b> 0.00	25.36 <b>-0.39</b> 0.00	25.41 <b>-0.24</b> 0.00	25.68 <b>-0.31</b> <b>-0.56</b>	28.95 <b>-0.42</b> <b>-0.01</b>	30.62 <b>-0.46</b> <b>-0.02</b>	41.62 <b>-0.66</b> <b>-2.68</b>	43.25 <b>-1.06</b> 0.00	44.83 <b>-1.15</b> 0.00	45.53 <b>-1.35</b> <b>-2.02</b>	46.89 <b>-1.41</b> 0.00	41.71 <b>-1.10</b> 0.00	29.58 <b>-0.62</b> 0.00	28.13 <b>0.15</b> 0.00
WEST 61752	30.85 <b>-0.04</b> 0.00	27.61 <b>-0.30</b> 0.00	22.91 <b>-0.25</b> 0.00	22.95 <b>-0.32</b> 0.00	20.60 <b>-0.24</b> 0.00	20.60 <b>-0.41</b> 0.00	21.94 <b>-0.98</b> 0.00	19.17 <b>-1.19</b> 0.00	20.07 <b>-1.10</b> 0.00	20.07 <b>-1.14</b> 0.00	24.01 <b>-1.07</b> 0.00	24.80 <b>-0.94</b> 0.00	25.08 <b>-0.58</b> 0.00	24.69 <b>-0.74</b> 0.00	28.44 <b>-0.93</b> 0.00	29.94 <b>-1.13</b> 0.00	38.09 <b>-1.52</b> 0.00	42.22 <b>-2.09</b> 0.00	43.75 <b>-2.22</b> 0.00	42.43 <b>-2.43</b> 0.00	45.77 <b>-2.53</b> 0.00	41.02 <b>-1.79</b> 0.00	29.06 <b>-1.14</b> 0.00	27.20 <b>-0.78</b> 0.00