

Time Weighted/Integrated Real Time LBMP - Zonal

--- LBMP \$

--- Marginal Cost of Losses

--- Marginal Cost of Congestion

Zonal Data

10/13/2025

Name	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
PTID	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT	EDT
CAPITL	19.87	23.17	25.66	30.97	26.70	24.65	30.64	37.19	36.61	37.92	41.86	42.63	40.67	45.22	44.26	43.14	47.68	49.43	58.56	71.93	45.49	41.50	34.16	28.64
61757	0.42	0.69	0.75	0.90	0.79	0.77	0.89	0.99	1.05	1.12	1.15	1.23	1.24	1.01	1.02	1.05	1.26	1.15	1.30	1.35	0.81	0.73	0.54	0.37
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CENTRL 61754	19.39	22.57	24.99	30.17	26.03	24.02	29.92	36.52	35.79	37.03	41.04	41.82	39.79	44.51	43.50	42.39	46.74	48.75	57.75	70.93	44.89	40.87	33.72	28.47
	-0.07	0.08	0.08	0.11	0.12	0.14	0.18	0.31	0.23	0.24	0.32	0.42	0.36	0.30	0.27	0.30	0.32	0.47	0.49	0.34	0.21	0.10	0.10	0.20
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DUNWOD 61760	20.26	23.61	26.07	31.47	27.15	25.09	31.34	38.02	37.31	38.65	42.77	43.71	41.65	46.03	45.00	43.92	48.57	50.49	59.82	73.13	46.17	42.22	34.83	29.19
	0.80	1.13	1.16	1.40	1.25	1.21	1.59	1.82	1.75	1.86	2.05	2.31	2.22	1.83	1.77	1.83	2.14	2.22	2.56	2.54	1.49	1.45	1.22	0.93
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GENESE 61753	19.31	22.45	24.83	29.99	25.93	23.91	29.65	36.02	35.27	36.47	40.52	41.46	39.58	44.33	43.42	42.23	46.34	48.26	56.98	70.06	44.40	40.31	33.31	28.44
	-0.15	-0.04	-0.09	-0.08	0.02	0.02	-0.09	-0.19	-0.29	-0.33	-0.20	0.06	0.15	0.12	0.18	0.14	-0.08	-0.01	-0.28	-0.52	-0.28	-0.46	-0.30	0.18
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
H Q 61844	19.46	22.06	22.46	27.15	23.61	21.94	27.04	32.71	31.84	32.39	36.12	35.03	37.52	44.16	43.18	42.00	46.28	48.19	57.32	71.00	44.93	41.01	33.84	28.49
	0.01	-1.90	-2.45	-2.92	-2.30	-1.94	-2.71	-3.50	-3.71	-4.41	-4.60	-1.57	-0.31	-0.05	-0.06	-0.09	-0.15	-0.09	0.06	0.42	0.26	0.24	0.22	0.23
	0.00	-1.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.80	1.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
HUD VL 61758	20.19	23.53	26.00	31.37	27.05	24.99	31.22	37.91	37.21	38.53	42.57	43.49	41.44	45.89	44.88	43.80	48.43	50.34	59.65	72.98	46.11	42.13	34.72	29.09
	0.74	1.04	1.09	1.31	1.14	1.11	1.47	1.71	1.65	1.74	1.86	2.10	2.01	1.69	1.65	1.70	2.01	2.06	2.39	2.39	1.43	1.36	1.10	0.82
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LONGIL 61762	19.93	23.31	25.86	31.16	26.93	24.80	30.77	37.40	36.82	38.22	42.51	43.37	41.58	45.52	44.49	43.34	47.83	49.73	58.72	66.53	45.37	39.69	34.28	28.89
	0.48	0.82	0.94	1.09	1.02	0.92	1.03	1.19	1.26	1.42	1.79	1.97	2.10	1.31	1.26	1.25	1.41	1.46	1.46	1.04	0.70	0.58	0.66	0.62
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04	0.00	0.00	0.00	0.00	0.00	0.00	5.10	0.00	1.67	0.00	0.00
MHK VL 61756	19.78	22.77	25.22	30.48	26.30	24.33	30.36	37.07	36.39	37.56	41.57	42.53	40.65	45.49	44.44	43.37	47.94	50.06	59.48	73.28	46.31	42.22	34.82	29.25
	0.33	0.28	0.30	0.41	0.39	0.44	0.62	0.86	0.83	0.76	0.85	1.13	1.22	1.28	1.20	1.28	1.51	1.79	2.21	2.70	1.63	1.45	1.21	0.98
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MILLWD 61759	20.18	23.53	25.99	31.37	27.05	24.99	31.21	37.88	37.17	38.49	42.59	43.54	41.48	45.88	44.86	43.78	48.41	50.31	59.60	72.90	46.05	42.08	34.70	29.08
	0.73	1.04	1.07	1.30	1.14	1.11	1.46	1.67	1.61	1.70	1.88	2.14	2.05	1.68	1.62	1.68	1.99	2.03	2.33	2.31	1.38	1.31	1.08	0.81
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
N.Y.C. 61761	20.32	23.67	26.11	31.46	27.15	25.14	31.43	38.14	37.44	38.76	42.86	43.81	41.73	46.09	45.07	43.99	48.63	50.59	59.94	73.27	46.24	42.32	34.97	29.29
	0.87	1.18	1.20	1.40	1.24	1.25	1.68	1.94	1.88	1.96	2.15	2.41	2.29	1.89	1.83	1.90	2.21	2.32	2.68	2.68	1.56	1.55	1.35	1.02
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NORTH 61755	19.73	20.89	22.78	27.52	23.95	22.25	27.37	33.07	32.20	32.71	36.47	35.22	39.10	44.09	43.02	41.89	46.08	48.04	57.36	71.39	45.15	41.38	34.27	28.91
	0.27	-1.59	-2.13	-2.55	-1.96	-1.64	-2.38	-3.13	-3.36	-4.08	-4.24	-1.44	-0.34	-0.11	-0.22	-0.20	-0.34	-0.23	0.10	0.81	0.47	0.61	0.66	0.64
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NPX 61845	19.84	24.82	25.65	30.97	26.65	24.97	30.84	36.10	36.93	37.76	41.73	42.60	39.07	45.04	44.05	42.87	47.40	49.05	58.06	71.23	45.09	41.19	33.97	30.19
	0.38	0.73	0.76	0.90	0.78	0.78	0.90	0.83	0.88	0.96	1.01	1.20	1.25	0.84	0.82	0.77	0.98	0.78	0.80	0.64	0.41	0.42	0.35	0.15
	0.00	-1.59	0.03	0.00	0.04	-0.30	-0.19	0.93	-0.49	0.00	0.00	0.00	1.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-1.77

O H 61846		19.11 <u>-0.34</u> 0.00	22.33 <u>-0.16</u> 0.00	24.68 <u>-0.23</u> 0.00	29.84 <u>-0.23</u> 0.00	25.83 <u>-0.08</u> 0.00	23.72 <u>-0.16</u> 0.00	29.11 <u>-0.63</u> 0.00	34.88 <u>-1.32</u> 0.00	34.08 <u>-1.48</u> 0.00	35.25 <u>-1.54</u> 0.00	39.33 <u>-1.39</u> 0.00	40.47 <u>-0.92</u> 0.00	38.71 <u>-0.72</u> 0.00	44.01 <u>-0.75</u> <u>-0.56</u>	42.51 <u>-0.72</u> 0.00	41.23 <u>-0.86</u> 0.00	44.93 <u>-1.49</u> 0.00	46.67 <u>-1.60</u> 0.00	54.94 <u>-2.32</u> 0.00	67.29 <u>-3.30</u> 0.00	42.89 <u>-1.79</u> 0.00	38.95 <u>-1.82</u> 0.00	32.16 <u>-1.15</u> 0.31	26.81 <u>0.00</u> 1.45
PJM 61847		19.68 <u>0.23</u> 0.00	24.43 <u>0.48</u> <u>-1.47</u>	25.36 <u>0.45</u> 0.00	30.64 <u>0.57</u> 0.00	26.47 <u>0.57</u> 0.00	24.40 <u>0.52</u> 0.00	30.33 <u>0.58</u> 0.00	36.74 <u>0.53</u> 0.00	35.94 <u>0.38</u> 0.00	37.20 <u>0.41</u> 0.00	41.25 <u>0.53</u> 0.00	42.20 <u>0.80</u> 0.00	38.50 <u>0.68</u> 1.61	44.66 <u>0.46</u> 0.00	43.58 <u>0.34</u> 0.00	42.47 <u>0.38</u> 0.00	46.84 <u>0.41</u> 0.00	48.74 <u>0.47</u> 0.00	57.68 <u>0.42</u> 0.00	70.55 <u>-0.04</u> 0.00	44.67 <u>-0.01</u> 0.00	40.71 <u>-0.06</u> 0.00	33.68 <u>0.06</u> 0.00	28.57 <u>0.30</u> 0.00
WEST 61752		19.31 <u>-0.15</u> 0.00	22.57 <u>0.09</u> 0.00	24.96 <u>0.05</u> 0.00	30.16 <u>0.09</u> 0.00	26.14 <u>0.23</u> 0.00	24.01 <u>0.12</u> 0.00	29.51 <u>-0.23</u> 0.00	35.43 <u>-0.78</u> 0.00	34.62 <u>-0.94</u> 0.00	35.83 <u>-0.96</u> 0.00	39.98 <u>-0.74</u> 0.00	41.11 <u>-0.28</u> 0.00	39.21 <u>-0.22</u> 0.00	44.01 <u>-0.20</u> 0.00	43.01 <u>-0.22</u> 0.00	41.70 <u>-0.39</u> 0.00	45.57 <u>-0.86</u> 0.00	47.40 <u>-0.87</u> 0.00	55.95 <u>-1.32</u> 0.00	68.51 <u>-2.08</u> 0.00	43.64 <u>-1.04</u> 0.00	39.61 <u>-1.17</u> 0.00	32.98 <u>-0.63</u> 0.00	28.68 <u>0.41</u> 0.00